

A* algorithm

A/B testing

Abbreviation

Abstraction

Access control

Access point

Acronym

Activation function

Address

Advertising

Aggregate

Agile

AGP (Accelerated Graphics Port)

AJAX (Asynchronous JavaScript and XML)

Alert

Algorithm

Alias

Allow

Amber

Analytics

Anchor

Android

Angular

Anomaly detection

Ant colony optimization

Anti join

API (Application Programming Interface)

App

Application

Architecture

Argument

ARP (Address Resolution Protocol)

Array

Artificial

Assembler

Assertion

Assessment

Assumption

Atomicity

Attack

Attention

Attribute

Audio

Audit

Augmented reality

Authentication

Authorization

Automatic

Automation

Available

AVL tree

Awareness

Backup

Barcode

Batch

Bayesian

Bee algorithm

Behavior

Bellman-Ford algorithm

Benchmark

Benefit

Best practices

BFGS algorithm

BIOS (Basic Input/Output System)

Binary

Binary tree

Biometric

Bit

Block

Blueprint

Bluetooth

Booking

Boolean

Bootloader

Branch

Break

Bridge

Broker

Brute force

B-tree

Build

Business continuity

Button

Byte

Cable

Cache

Cache-Control

Calculation

Canvas

Capacity

Cardinality

Case

Catch

Cell

Cellular

Certificate

Certification

Challenge

Character

Checksum

Cipher

Class

Classification

Client

Clique

Cloud

Cluster

Clustered index

Clustering

CMOS (Complementary Metal-Oxide Semiconductor)

Collaborative

Coloring

Column

Command

Command line interface

Commerce

Commit

Communication as a service (CaaS)

Community

Compact flash

Comparison

Compatibility

Compiler

Complexity

Compliance

Composite

Compression

Computation

Computing

Condition

Conditional

Configuration

Conjugate

Connection

Consistency

Console

Constant

Constraint

Constructor

Consumer

Content

Context

Continue

Control

Control flow

Conversion

Convex

Convolutional neural network

Cookie

Correlated

Correlation

Cost

Covering

CPU (Central Processing Unit)

Crack

Cracking

CRM (customer relationship management)

Cross-entropy loss

CSS (Cascading Style Sheets)

Cuckoo

Culture

Cursor

Custom Elements

Dashboard

Data

Data structure

Data type

Database

Database as a service (DBaaS)

DataList

Date

Datetime

Deadlock

Debug

Debugging

Decomposition

Decryption

Deep learning

Delete

Delimiter

Denormalization

Density

Deploy

Deployment

Deque

Dereference

Derived

Design

Desktop

Desktop environment

Destructor

Details

Detection

Device driver

DevOps

DHCP (Dynamic Host Configuration Protocol)

Dialog

Dialog box

Dictionary

Digest

Digital

Digital signature

Directed graph

Directory

Disaster

DisplayLink

DisplayPort

Distribution

DNS (Domain Name System)

DNS server

Dock

DOM (Document Object Model)

Domain

Double

Downgrade

Drive

Dropout

DSL (Digital Subscriber Line)

DTD (Document Type Definition)

Dual

Durability

DVI (Digital Visual Interface)

Education

Efficiency

Elastic

Element

Embed

Emoji

Encapsulation

Encoding

Encryption

Entity

Enumeration

Equi-join

Error

Error message

Escape

Ethernet

Ethernet port

Evaluation

Event

Evolutionary

Exabyte

Except

Exception

Execution

Expect

Expiration

Expire

Exploit

Expression

Extension

Factor

Failover

Fan

Fault tolerance

Feature

Federation

Federation protocol

Fiber optic

Field

Fieldset

File

File format

File manager

File sharing

File system

Filter

Finally

Fine-tuning

Firewall

Firewire

Firmware

First

Fix

Flag

Flash drive

Flexible

Float

Floating-point

Flow

Folder

Foreign key

Forensic

Form

Format

Framework

Friendly

FTP (File Transfer Protocol)

FTP over SSL/TLS (FTPS)

FTPS (FTP Secure)

Full-text

Function

Functions as a service (FaaS)

Game controller

Gate

Gateway

Gaussian

Generation

Genetic algorithm

Get

Gigabyte

Global

Governance

GPU (Graphics Processing Unit)

Graph

Graphical user interface

Graphics card

Grid search

Group

Guarantee

GUI (Graphical User Interface)

Handle

Hard drive

Hardware

Harmony

Hash

Hash table

Hashing

HDMI (High-Definition Multimedia Interface)

HDMI port

Head

Header

Heap

Heat sink

High availability

Hinge

History

Host

Hotfix

Hotspot

HTML (Hypertext Markup Language)

HTTP (Hypertext Transfer Protocol)

HTTPS (Hypertext Transfer Protocol Secure)

Hub

Hybrid

Hyperlink

ICMP (Internet Control Message Protocol)

Icon

IDE (Integrated Development Environment)

Identifier

Identity

If

IMAP (Internet Message Access Protocol)

Implementation

Import

Improvement

Incident

Independent

Index

Information

Infrastructure

Infrastructure as a service (IaaS)

Inheritance

Initial

Inline

Inner join

Input

Insert

Instruction

Integer

Integrated development environment

Integration

Integrity

Intelligence

Internationalization

Internet

Internet of things

Interoperability

Interpreter

Intersect

Interval

Investigation

IOS (iPhone Operating System)

IoT (Internet of Things)

IP (Internet Protocol)

IP address

IPv4 (Internet Protocol version 4)

IPv6 (Internet Protocol version 6)

IRC (Internet Relay Chat)

ISDN (Integrated Services Digital Network)

Isolation

Iteration

Iterator

JavaScript

JAXB (Java Architecture for XML Binding)

JAX-RS (Java API for RESTful Web Services)

JAX-WS (Java API for XML Web Services)

Join

JSON (JavaScript Object Notation)

Kernel

Key

Keyboard

Keygen

Kilobyte

Knockout

Label

LAN (Local Area Network)

Last modified

Latent

LDAP (Lightweight Directory Access Protocol)

Leadership

Legend

Library

Linear programming

Link

Linked list

Linker

Load

Load balancer

Load balancing

Load test

Loader

Local

Localization

Location

Lock

Log

Long

Loop

Loss

Loyalty

M2M (machine-to-machine)

MAC address

Maintainability

Maintenance

Makefile

MAN (Metropolitan Area Network)

Management

Map

Mapping

Margin loss

Mark

Marketing

Matching problem

Materialized view

Math

Matrix

Maximum

MD5

Mean absolute error

Mean squared error

Mechanism

Megabyte

Memory

Memory card

Memory stick

Menu

MenuItem

Merge

Meter

Metered

Method

Metrics

Microphone

MicroSD

Migration

Minimum

Minimum cut

Minus

Mitigation

Mixed reality

Mixed-integer programming

MMC (MultiMediaCard)

Mobile

Mobile app

Modality

Model

Modem

Modularity

Module

Momentum

Monitor

Monitoring

Motherboard

Mouse

Multi-armed bandit

Multifactor authentication

Multilabel loss

MultiMedia

Mutex

Native

Natural join

Navigation

Network

Network file system

Network flow problem

Network interface card

Neural network

NFC (Near Field Communication)

NNTP (Network News Transfer Protocol)

Node

Non-equi join

Non-negative

Non-numeric

Non-primitive

Non-scalar

Normalization

Notification

NTP (Network Time Protocol)

Numeric

Object

Objective

Opcode

Operand

Operating system

Operator

Optical drive

Optimization

Option

Orchestration

Outer apply

Outer join

Output

Overfitting

Overloading

Overriding

P2P (Peer-to-Peer)

Package

Pair

Paradigm

Parallel port

Param

Parameter

Parsing

Particle swarm optimization

Partition

Password

Patch

Path

Payment

Pay-per-use

PC Card

PCI (Peripheral Component Interconnect)

PCI Express (PCI-E)

Peer

Pen test

Penetration test

Performance

Permissions

Persistence

Personalization

Petabyte

Pivot

Plan

Platform

Platform as a service (PaaS)

Pointer

Policy

Polymorphism

POP (Post Office Protocol)

POP3 (Post Office Protocol version 3)

Pop-up

Portability

Post

Power button

Power supply

Practice

Pragma

Prevention

Primary key

Primitive

Printer

Privacy

Private cloud

Private key

Privileges

Probabilistic

Problem

Procedure

Process

Processor

Program

Progress

Prompt

Proofing

Property

Protocol

Provider

Proxy

PS/2

Public cloud

Public key

Put

Quad word

Quadratic programming

Quality assurance

Quality control

Query

Question

Queue

Radix tree

RAM (Random Access Memory)

Random search

Range

RARP (Reverse Address Resolution Protocol)

Record

Recovery

Recurrent

Recurrent neural network

Recursion

Red-black tree

Redundancy

Refactoring

Reference

Referential integrity

Referer

Register

Regression

Regression test

Regularization

Regulation

Relationship

Release

Reliability

Remediation

Remote desktop

Replication

Report

Repository

Request

Requirement

Reset

Resilience

Resource

Response

Responsive

REST (Representational State Transfer)

Restoration

Retry

Return

Reusability

Reverse

Revocation

RFID (Radio-Frequency Identification)

Ribbon

Risk

Risk assessment

Robustness

Role

Rollback

Router

Row

RTC (Real-time Communication)

RTCP (Real-time Transport Control Protocol)

RTP (Real-time Transport Protocol)

RTSP (Real-time Streaming Protocol)

Sampling

SATA (Serial ATA)

SAX (Simple API for XML)

Scalability

Scalable

Scalar

Scanner

Schema

SCSI (Small Computer System Interface)

SD (Secure Digital)

SDK (Software Development Kit)

SDP (Session Description Protocol)

Search

Secure

Security

Segmentation

Select

Self join

Self-service

Semantic

Semaphore

Semi join

Semidefinite programming

Separator

Serial port

Server

Service

Session

Set

SFTP (SSH File Transfer Protocol)

Shadow

Shell

SIM (Subscriber Identity Module)

SIP (Session Initiation Protocol)

Signature

Sign-on

Similarity

Simplex

Slot

Smart card

Smartphone

SMTP (Simple Mail Transfer Protocol)

SNMP (Simple Network Management Protocol)

SOAP (Simple Object Access Protocol)

SOCKS proxy

Software

Software as a service (SaaS)

Solid state drive

Sort

Sound card

Source

Space complexity

Sparse index

Speaker

SSH (Secure Shell)

SSL (Secure Sockets Layer)

Stack

Standard

Statement

Statistics

Status bar

Status code

StAX (Streaming API for XML)

Storage

Stored procedure

Strategy

Strength

Stress

Stress test

String

Struct

Subnet mask

Subquery

Subroutine

Suffix tree

Summary

Svg

Switch

System software

System test

Tab

Table

Tablet

Tag

Taskbar

TCP (Transmission Control Protocol)

Telnet

Templates

Temporary

Terabyte

Terminal

Test

Testing

Text editor

Textarea

Thread

Threat

Throw

Thunderbolt

Ticket

Time

Time complexity

Timestamp

TLS (Transport Layer Security)

Token

Tokenization

Toolbar

Touchpad

Touchscreen

Trace

Track

Tracking

Trackpad

Trailer

Training

Transaction

Transfer

Translation

Tree

Trie

Trigger

Troubleshooting

Try

Tuning

Tuple

UDP (User Datagram Protocol)

UEFI (Unified Extensible Firmware Interface)

Undirected graph

Unicode

Union

Unique key

Unit

Unit test

Unmarshalling

Unwrapping

Update

Upgrade

URI (Uniform Resource Identifier)

URL (Uniform Resource Locator)

URN (Uniform Resource Name)

Usability

USB (Universal Serial Bus)

USB port

User

User experience

User interface

User-Agent

UTF (Unicode Transformation Format)

Utility

Validation

Value

Variable

Vary

Verification

Verification

Version control

Vertex

VGA (Video Graphics Array)

VGA port

Via

Video

View

Virtual memory

Virtual reality

Visualization

VLAN (Virtual Local Area Network)

Volume

VPN (Virtual Private Network)

Vulnerability

WAN (Wide Area Network)

Warning

Wearable

Web

Web app

Web server

Web technologies

WebAPI (Web Application Programming Interface)

Webcam

WebFlow

WebFlux

WebGL (Web Graphics Library)

Weighted graph

Wi-Fi

Window

WLAN (Wireless Local Area Network)

Word

World Wide Web

WPAN (Wireless Personal Area Network)

Wrapping

WWW

XD (eXtreme Digital)

XML (Extensible Markup Language)

XMPP (Extensible Messaging and Presence Protocol)

XSL (Extensible Stylesheet Language)

XSLT (XSL Transformations)

Yottabyte

Zettabyte